

Amendment to the Claims

This listing of claims will replace all prior versions, and listings, of claims in this Application.

Listing of Claims:

Claim 1. (Withdrawn) A trim cover comprising a cloth including a backing layer, wherein said backing layer is formed from a polyurethane dispersion.

Claim 2. (Withdrawn) The trim cover of claim 1, wherein the cloth is woven.

Claim 3. (Withdrawn) The trim cover of claim 1, wherein the cloth is a knit.

Claim 4. (Withdrawn) The trim cover of claim 1, wherein the polyurethane dispersion is in the form of a foam layer having a density in the range of 0.016 to 0.32 grams/cubic centimeter.

Claim 5. (Withdrawn) The trim cover of claim 1, wherein the backing layer is applied to a thickness of from about 2.6 - 51.3 mm.

Claim 6. (Withdrawn) A product covered with the trim cover of claim 1, said product being any one of a seat cushion, seat back, armrest, door panel, foot rest, instrument panel, air bag cover, headliner, parcel shelf, console cover, hassock, trim panel and panel insert.

Claim 7. (Withdrawn) The trim cover of claim 1 wherein said backing layer is of a thickness of about 0.26-51.3 mm.

Claim 8. (Withdrawn) The trim cover of claim 1 wherein said backing layer has a density of about 0.016 – 0.32 grams/cubic centimeter.

Claim 9. (Withdrawn) The trim cover of claim 1 wherein said trim cover is permeable.

Claim 10. (Withdrawn) The trim cover of claim 1 wherein said trim cover provides a sound absorption coefficient greater than 0.6 for frequencies greater than 400 Hz.

Claim 11. (Withdrawn) The trim cover of claim 1 wherein the cloth has a basis weight of between 100 – 950 grams/square meter.

Claim 12. (Withdrawn) A trim panel assembly comprising:

- (a) a trim cover comprising a cloth including a backing layer, wherein said backing layer is formed from a polyurethane dispersion;
- (b) a molded plastic substrate supporting said trim cover.

Claim 13. (Withdrawn) The trim panel assembly of claim 12 wherein a layer of foam is positioned between said trim cover and said molded plastic substrate.

Claims 14-17. (Canceled)

Claim 18. (Currently Amended) A method for forming a trim panel comprising:

- a. supplying a cloth
- b. applying a polyurethane dispersion as a backing layer to said cloth, wherein said polyurethane backing layer is applied and adhered to the cloth without the use of adhesives or flame lamination:
- c. ~~applying a~~ molding a molded plastic substrate on said polyurethane dispersion without the use of a barrier film applied to said polyurethane back layer of said cloth.

Appln. No. 10/629,979
Amndt. dated August 23, 2005
Reply to Office Action of May 23, 2005

Claim 19. (Currently Amended) The method of claim 18 wherein said step of ~~applying~~
molding a molded plastic substrate comprises injection molding.

Claim 20. (Canceled)